

Κλινική

Β΄ Πανεπιστημιακή Παθολογική Κλινική

Εισαγωγική Σελίδα

Η Β΄ Πανεπιστημιακή Παθολογική Κλινική είναι ανεπτυγμένη σε 18 κλίνες σε Νοσηλευτική Μονάδα 34 κλινών του Πανεπιστημιακού Γενικού Νοσοκομείου Αλεξανδρούπολης (3ο κτίριο, 3ος όροφος). Νοσηλεύει και καλύπτει πλήρως όλα τα περιστατικά που εμπίπτουν στην ειδικότητα της Παθολογίας.

Στην Κλινική υπηρετούν με καθεστώς πλήρους και αποκλειστικής απασχόλησης 6 μέλη ΔΕΠ (1 Καθηγητής, 4 Επίκουροι Καθηγητές), ενώ είναι ενταγμένος επίσης ένας Επίκουρος Καθηγητής, αποσπασμένος στο ΤΕΠ.

I. Μονάδες και Εργαστήρια της Κλινικής:

1. Μονάδα Ειδικών Λοιμώξεων (ΜΕΛ): Είναι εγκατεστημένη στο 3ο κτίριο, 2ο Υπόγειο του Πανεπιστημιακού Γενικού Νοσοκομείου Αλεξανδρούπολης και αποτελείται από 8 μονόκλινους νοσηλευτικούς θαλάμους.
2. Μονάδα Μεταβολικών Νοσημάτων
2. Εργαστήριο Ανοσολογίας
3. Εργαστήριο Αλλεργιολογίας
4. Εργαστήριο Ανοσοδιαγνωστικής των Λοιμώξεων
5. Εργαστήριο Κλινικής Φαρμακολογίας.

Τα ως άνω εργαστήρια δεν έχουν εγκατασταθεί σε ειδικό χώρο, έχει παραχωρηθεί όμως στην Κλινική ενιαίος χώρος στο 3^ο κτίριο, 2^ο Υπόγειο του Πανεπιστημιακού Γενικού Νοσοκομείου Αλεξανδρούπολης, ο οποίος χρησιμοποιείται ως Εργαστήριο της Β΄ Πανεπιστημιακής Παθολογικής Κλινικής. Το Εργαστήριο αυτό διαθέτει σημαντικό και εξειδικευμένο εξοπλισμό και εξυπηρετεί τις ερευνητικές, τις εκπαιδευτικές καθώς και τις ανάγκες της Κλινικής για ειδικές διαγνωστικές εξετάσεις.

Γνωστικό Αντικείμενο Μελών ΔΕΠ

Παθολογία

Μέλη ΔΕΠ

1. Ευστράτιος Μαλτέζος, Καθηγητής Παθολογίας
2. Μιλτιάδης Παπαϊωακείμ, Επίκουρος Καθηγητής Παθολογίας
3. Χρήστος Αντώνογλου, Επίκουρος Καθηγητής Παθολογίας
4. Δημήτριος Γλαρός, Επίκουρος Καθηγητής Παθολογίας
5. Δημήτριος Παπάζογλου, Επίκουρος Καθηγητής Παθολογίας
6. Νικόλαος Παπάνας, Επίκουρος Καθηγητής Παθολογίας

Μέλη ΕΤΕΠ

1. Αφροδίτη Βαβία
2. Γεωργία Μητούση

Άλλο Προσωπικό

Νοσηλευτικό Προσωπικό

Επιμελητές

1. Κωνσταντίνος Παπαθεοδώρου, Παθολόγος, Επιμελητής Β΄
2. Ειρήνη Τερζή, Παθολόγος, Επιμελήτρια Β΄
3. Ανθή Γατοπούλου, Γαστρεντερολόγος, Επιμελήτρια Β΄
4. Ιουλία Καλαϊτζή, Παθολόγος, Επιμελήτρια Α΄

Ειδικευόμενοι ιατροί:

1. Παπαδοπούλου Ραχήλ
2. Κουρουμιάκης Ιωάννης
3. Φιλιππίδου Ευδοκία

4. Προϊκάκη Στυλιανή
5. Βούζης Νεκτάριος
6. Χρηστακίδου Εύη
7. Κηπουρός Γεώργιος

Στοιχεία Επικοινωνίας

- Τηλ. Κλινικής 2551074123 (Ιατροί), 2551030449 (Διευθυντού)
- Φαξ: 2551074723
- Τηλ. Μονάδας ειδικών Λοιμώξεων: 2551074719

Εκπαίδευση

Υποχρεωτικά Μαθήματα:

1. Κλινική Σημειολογία (Ε' εξάμηνο)
2. Ειδική Νοσολογία (Η' εξάμηνο)
3. Γενική Παθολογία (ΙΒ' εξάμηνο)

Κατ' επιλογή υποχρεωτικά μαθήματα

1. Θεραπεία Λοιμώξεων - Αντιμικροβιακά Φάρμακα (Γ' εξάμηνο, διδάσκων Ε. Μαλτέζος)

Συμμετοχή σε μεταπτυχιακά προγράμματα:

1. Μεταπτυχιακό πρόγραμμα της Β' Πανεπιστημιακής Χειρουργικής Κλινικής του Τμήματος Ιατρικής του ΔΠΘ "Χειρουργική Ήπατος Χοληφόρων και Παγκρέατος"
2. Μεταπτυχιακό πρόγραμμα του Εργαστηρίου Υγιεινής του ΔΠΘ "Υγιεινή και Ασφάλεια της Εργασίας"

3. Μεταπτυχιακό πρόγραμμα της Πανεπιστημιακής Πνευμονολογικής Κλινικής του Τμήματος Ιατρικής του ΔΠΘ “Κλινική Φαρμακολογία και Θεραπευτική”

Επιστημονικές Εκδηλώσεις Β΄ Πανεπιστημιακής Παθολογικής Κλινικής κατά την τελευταία πενταετία (2007-2011)

1. Διακλινική ημερίδα με θέμα «Κοινοί κλινικοί προβληματισμοί στην παθολογία και καρδιολογία», σε συνεργασία με την Πανεπιστημιακή Καρδιολογική Κλινική του ΔΠΘ, Αλεξανδρούπολη, 24 Φεβρουαρίου 2007.
2. Επιστημονική εκδήλωση με θέμα «Με στόχο HbA1c < 7», Αλεξανδρούπολη, 27 Φεβρουαρίου 2008.
3. Επιστημονική εκδήλωση «Σύγχρονα δεδομένα στην αντιμετώπιση της υπερλιπιδαιμίας», Αλεξανδρούπολη, 11 Ιουνίου 2008.
4. Επιστημονική εκδήλωση για τον Σακχαρώδη Διαβήτη τύπου 1 «Μέσα και έξω από τον κύκλο του διαβήτη», Αλεξανδρούπολη, 22 Ιουνίου 2008.
5. Επιστημονική εκδήλωση «Αναστολείς των υποδοχέων της αγγειοτενσίνης II: νεότερα δεδομένα», Αλεξανδρούπολη, 31 Ιανουαρίου 2009.
6. Επιστημονική ημερίδα Λοιμώξεων σε συνεργασία με την Ελληνική Εταιρεία Λοιμώξεων, Αλεξανδρούπολη, 27 Ιουνίου 2009.
7. Ημερίδα με θέμα «Παχυσαρκία και συνοδά μεταβολικά νοσήματα: νεότερες εξελίξεις», σε συνεργασία με την Ελληνική Ιατρική Εταιρεία Παχυσαρκίας και την Α΄ Παθολογική Κλινική του Νοσοκομείου Καβάλας, Καβάλα, 12 Σεπτεμβρίου 2009.
8. Ημερίδα «Εξελίξεις στην πρόληψη και τη θεραπεία των καρδιαγγειακών παθήσεων» σε συνεργασία με την Πανεπιστημιακή Καρδιολογική Κλινική του ΔΠΘ, και τον Ιατρικό Σύλλογο Έβρου, Αλεξανδρούπολη, 24 Απριλίου 2010.

Ερευνητικό Έργο

Δημοσιεύσεις μελών ΔΕΠ Β΄ Πανεπιστημιακής Παθολογικής σε έγκυρα διεθνή περιοδικά κατά την τελευταία τριετία (2009-2011)

(από τη Β΄ Παθολογική Κλινική ή σε συνεργασία με άλλες Κλινικές)

1. Steiropoulos P, Papanas N. Continuous positive airway pressure to improve insulin resistance and glucose homeostasis in sleep apnea. *World J Diabetes* 2011;2:16-8.
2. Papanas N, Maltezos E. Cilostazol in Diabetic Neuropathy: Premature Farewell or New Beginning? *Angiology* 2011 Apr 20. [Epub ahead of print].
3. Galazios G, Papazoglou D, Zografou C, Maltezos E, Liberis V. Alpha2B-adrenergic receptor insertion/deletion polymorphism in women with spontaneous recurrent abortions. *J Obstet Gynaecol Res* 2011;37:108-11.
4. Papanas N, Paschos P, Papazoglou D, Papatheodorou K, Paletas K, Maltezos E, Tsapas A. Accuracy of the Neuropad Test for the Diagnosis of Distal Symmetric Polyneuropathy in Type 2 Diabetes. *Diabetes Care* 2011; April 19 [Epub ahead of print].

5. Kapetanakis S, Vasileiadis I, Papanas N, Goulimari R, Maltezos E. Can a giant cervical osteophyte cause dysphagia and airway obstruction? A case report. *Wien Klin Wochenschr* 2011 Apr 14. [Epub ahead of print].
6. Kapetanakis S, Drygiannakis I, Tzortzinis A, Papanas N, Fiska A. A giant adrenal lipoma presenting in a woman with chronic mild postprandial abdominal pain: a case report. *J Med Case Reports* 2011;5:136.
7. Papanas N, Papazoglou D, Papatheodorou K, Maltezos E. Evaluation of a new foam to increase skin hydration of the foot in type 2 diabetes: a pilot study. *Int Wound J* 2011;8:297-300.
8. Papanas N, Lazarides MK. Diabetic foot amputations in Greece: where do we go from here? *Int J Low Extrem Wounds* 2011;10:4-5.
9. Papanas N, Maltezos E, Lazarides MK. Delivering a powerful oral presentation: all the world's a stage. *Int Angiol* 2011;30:185-91.
10. Gouveri E, Papanas N, Maltezos E. The female breast and diabetes. *Breast* 2011 Mar 15. [Epub ahead of print].
11. Kouroumichakis I, Papanas N, Proikaki S, Zarogoulidis P, Maltezos E. Statins in prevention and treatment of severe sepsis and septic shock. *Eur J Intern Med* 2011;22:125-33.
12. Mikroulis D, Papanas N, Vretzakis G. A restrictive perioperative transfusion strategy does not increase all-cause mortality (30 days) or morbidity compared with a liberal approach in patients undergoing cardiac surgery. *Evid Based Med* 2011 Feb 24. [Epub ahead of print]
13. Gouveri E, Papanas N, Hatzitolios AI, Maltezos E. Breastfeeding and diabetes. *Curr Diabetes Rev* 2011;7:135-42.
14. Papanas N, Katsiki N, Papatheodorou K, Demetriou M, Papazoglou D, Gioka T, Maltezos E. Peripheral Neuropathy is Associated With Increased Serum Levels of Uric Acid in Type 2 Diabetes Mellitus. *Angiology* 2011;62:291-5.
15. Zarogoulidis P, Constantinidis T, Steiropoulos P, Papanas N, Zarogoulidis K, Maltezos E. Are there any differences in clinical and laboratory findings on admission between H1N1 positive and negative patients with flu-like symptoms? *BMC Res Notes* 2011;1:141.
16. Papanas N, Papatheodorou K, Papazoglou D, Kotsiou S, Maltezos E. A prospective study on the use of the indicator test Neuropad® for the early diagnosis of peripheral neuropathy in type 2 diabetes. *Exp Clin Endocrinol Diabetes* 2011;119:122-5.
17. Papanas N, Ziegler D. New diagnostic tests for diabetic distal symmetric polyneuropathy. *J Diabetes Complications* 2011;25:44-51.
18. Nena E, Steiropoulos P, Papanas N, Tsara V, Fiteli C, Froudarakis ME, Maltezos E, Bouros D. Sleepiness as a marker of glucose deregulation in obstructive sleep apnea. *Sleep Breath* 2011 Jan 5. [Epub ahead of print].
19. Georgiadis GS, Nikolopoulos E, Papanas N, Mourvati E, Panagoutsos S, Lazarides MK. A hybrid approach to salvage a failing long-standing autogenous aneurysmal fistula in a hemodialysis patient. *Int J Artif Organs* 2010;33:819-23.
20. Katsiki N, Papanas N, Mikhailidis DP. Dapagliflozin: more than just another oral glucose-lowering agent? *Expert Opin Investig Drugs* 2010;19:1581-9.
21. Papanas N, Trypsianis G, Giassakis G, Vadikolias K, Christakidis D, Piperidou H, Efstratiadis G, Maltezos E. The sural sensory/radial motor

- amplitude ratio for the diagnosis of peripheral neuropathy in type 2 diabetic patients. *Hippokratia* 2010;14:198-202.
22. A fairy tale of modern insulin therapy in type 1 diabetes. Papanas N, Demetriou M, Maltezos E. *World J Diabetes* 2010;1:109-10.
 23. Pitiakoudis M, Zezos P, Courcoutsakis N, Papanas N, Giatromanolaki A, Sivridis E, Kouklakis G, Simopoulos C. Is laparoscopic resection the appropriate management of a jejunal gastrointestinal stromal tumor (GIST)? Report of a case. *Surg Laparosc Endosc Percutan Tech* 2010;20:e160-3.
 24. Papanas N, Zissimopoulos A, Maltezos E. The role of nuclear medicine in the diagnosis of common and specific diabetic infections. *Hell J Nucl Med* 2010;13:150-7.
 25. Kapetanakis S, Drygiannakis I, Kazakos K, Papanas N, Kolios G, Kouroumalis E, Verettas DA. Serum TGF-beta2 and TGF-beta3 are increased and positively correlated to pain, functionality, and radiographic staging in osteoarthritis. *Orthopedics* 2010 ;33:8.
 26. Papanas N, Papatheodorou K, Papazoglou D, Kotsiou S, Maltezos E. Association between foot temperature and sudomotor dysfunction in type 2 diabetes. *J Diabetes Sci Technol* 2010;4:803-7.
 27. Steiropoulos P, Papanas N, Bouros D, Maltezos E. Obstructive sleep apnea aggravates glycemic control across the continuum of glucose homeostasis. *Am J Respir Crit Care Med* 2010;182:286.
 28. Steiropoulos P, Papanas N, Nena E, Antoniadou M, Serasli E, Papoti S, Hatzizisi O, Kyriazis G, Tzouveleakis A, Maltezos E, Tsara V, Bouros D. Inflammatory markers in middle-aged obese subjects: does obstructive sleep apnea syndrome play a role? *Mediators Inflamm* 2010;2010:675320.
 29. Papanas N, Maltezos E, Mikhailidis DP. Metformin and cancer: licence to heal? *Expert Opin Investig Drugs* 2010;19:913-7.
 30. Papanas N, Maltezos E. Benefit-risk assessment of becaplermin in the treatment of diabetic foot ulcers. *Drug Saf* 2010;33:455-61.
 31. Tziakas DN, Chalikias GK, Stakos D, Chatzikyriakou SV, Papazoglou D, Mitrousi K, Lantzouraki A, Thomaidi A, Boudoulas H, Konstantinides S. Independent and additive prognostic ability of serum carboxy-terminal telopeptide of collagen type-I in heart failure patients: a multi-marker approach with high-negative predictive value to rule out long-term adverse events. *Eur J Cardiovasc Prev Rehabil* 2010 May 14. [Epub ahead of print].
 32. Chelis L, Ntinou N, Souftas V, Deftereos S, Xenidis N, Chamalidou E, Maltezos E, Kakolyris S. Complete response after sorafenib therapy for hepatocellular carcinoma in an HIV-HBV co infected patient: Possible synergy with HAART ? A case report. *Med Oncol* 2010 Aug 31. [Epub ahead of print].
 33. Tziakas DN, Chalikias GK, Stakos D, Tentes IK, Papazoglou D, Thomaidi A, Grapsa A, Gioka G, Kaski JC, Boudoulas H. Independent and additive predictive value of total cholesterol content of erythrocyte membranes with regard to coronary artery disease clinical presentation. *Int J Cardiol* 2010 Mar 9. [Epub ahead of print].
 34. Papanas N, Kakagia D, Papatheodorou K, Papazoglou D, Alexandridou M, Pagkalos A, Karadimas EJ, Maltezos E. Lanarkshire Oximetry Index as a diagnostic tool for peripheral arterial disease in type 2 diabetes: a pilot study. *Angiology* 2010;61:388-91.

35. Papanas N, Steiropoulos P, Nena E, Tzouvelekis A, Skarlatos A, Konsta M, Vasdekis V, Maltezos E, Bouros D. Predictors of obstructive sleep apnea in males with metabolic syndrome. *Vasc Health Risk Manag* 2010;6:281-6.
36. Steiropoulos P, Papanas N, Nena E, Maltezos E, Bouros D. Continuous positive airway pressure treatment in patients with sleep apnoea: does it really improve glucose metabolism? *Curr Diabetes Rev* 2010;6:156-66.
37. Papazoglou D, Papatheodorou K, Papanas N, Papadopoulos T, Gioka T, Kabouromiti G, Kotsiou S, Maltezos E. Matrix metalloproteinase-1 and tissue inhibitor of metalloproteinases-1 levels in severely obese patients: what is the effect of weight loss? *Exp Clin Endocrinol Diabetes* 2010;118:730-4.
38. Papanas N, Maltezos E. The diabetic hand: a forgotten complication? *J Diabetes Complications* 2010;24:154-62.
39. Nena E, Steiropoulos P, Tzouvelekis A, Tsara V, Hatzizisi O, Kyriazis G, Froudarakis M, Trakada G, Papanas N, Bouros D. Reduction of serum retinol-binding protein-4 levels in nondiabetic obstructive sleep apnea patients under continuous positive airway pressure treatment. *Respiration* 2010;80:517-23.
40. Papanas N, Tsapas A, Papatheodorou K, Papazoglou D, Bekiari E, Sariganni M, Paletas K, Maltezos E. Glycaemic control is correlated with well-being index (WHO-5) in subjects with type 2 diabetes. *Exp Clin Endocrinol Diabetes* 2010;118:364-7.
41. Papanas N, Maltezos E, Lazarides MK. Editorials: a rose is a rose. *Int Angiol* 2009;28:429-30.
42. Papanas N, Maltezos E. The diabetic foot: a global threat and a huge challenge for Greece. *Hippokratia* 2009;13:199-204.
43. Papanas N, Georgiadis GS, Maltezos E, Lazarides MK. Letters to the editor: definitely not children of a lesser god. *Int Angiol* 2009;28:418-20.
44. Steiropoulos P, Papanas N, Maltezos E, Bouros D. Is there a metabolic effect of continuous positive airway pressure in sleep apnoea? Adherence should not be underestimated. *Eur Respir J* 2009;34:1209-10.
45. Papanas N, Courcoutsakis N, Papatheodorou K, Daskalogiannakis G, Maltezos E, Prassopoulos P. Achilles tendon volume in type 2 diabetic patients with or without peripheral neuropathy: MRI study. *Exp Clin Endocrinol Diabetes* 2009;117:645-8.
46. Papanas N, Steiropoulos P, Nena E, Tzouvelekis A, Maltezos E, Trakada G, Bouros D. HbA1c is associated with severity of obstructive sleep apnea hypopnea syndrome in nondiabetic men. *Vasc Health Risk Manag* 2009;5:751-6.
47. Papanas N, Maltezos E. Oral antidiabetic agents: anti-atherosclerotic properties beyond glucose lowering? *Curr Pharm Des* 2009;15:3179-92.
48. Papanas N, Maltezos E, Mikhailidis DP. Metformin: diamonds are forever. *Expert Opin Pharmacother* 2009;10:2395-7.
49. Skoutas D, Papanas N, Georgiadis GS, Zervas V, Manes C, Maltezos E, Lazarides MK. Risk factors for ipsilateral reamputation in patients with diabetic foot lesions. *Int J Low Extrem Wounds* 2009;8:69-74.
50. Trakada G, Steiropoulos P, Nena E, Gkioka T, Kouliatsis G, Pataka A, Sotiriou I, Anevlavis S, Papanas N, Bouros D. Plasma visfatin levels in severe obstructive sleep apnea-hypopnea syndrome. *Sleep Breath* 2009;13:349-55.

51. Papanas N, Monastiriotis C, Christakidis D, Maltezos E. Metformin and lactic acidosis in patients with type 2 diabetes--from pride and prejudice to sense and sensibility. *Acta Clin Belg* 2009;64:42-8.
52. Steiropoulos P, Papanas N, Nena E, Tsara V, Fiteli C, Tzouvelekis A, Christaki P, Maltezos E, Bouros D. Markers of glycemic control and insulin resistance in non-diabetic patients with Obstructive Sleep Apnea Hypopnea Syndrome: does adherence to CPAP treatment improve glycemic control? *Sleep Med* 2009;10:887-91.
53. Heliopoulos I, Papaioakim M, Tsivgoulis G, Chatzintounas T, Vadikolias K, Papanas N, Piperidou C. Common carotid intima media thickness as a marker of clinical severity in patients with symptomatic extracranial carotid artery stenosis. *Clin Neurol Neurosurg* 2009;111:246-50.
54. Papanas N, Papatheodorou K, Papazoglou D, Monastiriotis C, Maltezos E. Foot temperature in type 2 diabetic patients with or without peripheral neuropathy. *Exp Clin Endocrinol Diabetes* 2009;117:44-7
55. Exiara T, Mavrakanas TA, Papazoglou L, Papazoglou D, Christakidis D, Maltezos E. A prospective study of acute poisonings in a sample of Greek patients. *Cent Eur J Public Health* 2009;17:158-60.
56. Galazios G, Papazoglou D, Tsikouras P, Kolios G. Vascular endothelial growth factor gene polymorphisms and pregnancy. *J Matern Fetal Neonatal Med* 2009;22:371-8.
57. Vounotrypidis P, Efremidou E, Zezos P, Pitiakoudis M, Maltezos E, Lyratzopoulos N, Kouklakis G. Prevalence of joint hypermobility and patterns of articular manifestations in patients with inflammatory bowel disease. *Gastroenterol Res Pract* 2009;2009:924138.
58. Maltezos HC, Maltezos E, Papa A. Contact tracing and serosurvey among healthcare workers exposed to Crimean-Congo haemorrhagic fever in Greece. *Scand J Infect Dis* 2009;41:877-80.
59. Zacharakis G, Kotsiou S, Papoutselis M, Vafiadis N, Tzara F, Pouliou E, Maltezos E, Koskinas J, Papoutselis K. Changes in the epidemiology of hepatitis B virus infection following the implementation of immunisation programmes in northeastern Greece. *Euro Surveill* 2009;14:19297.
60. Papa A, Dalla V, Petala A, Maltezos HC, Maltezos E. Fatal Mediterranean spotted fever in Greece. *Clin Microbiol Infect* 2010;16:589-92.
61. Anevlavis S, Petroglou N, Tzavaras A, Maltezos E, Pneumatikos I, Froudarakis M, Anevlavis E, Bouros D. A prospective study of the diagnostic utility of sputum Gram stain in pneumonia. *J Infect* 2009;59:83-9.
62. Chatzikyriakou SV, Tziakas DN, Chalikias GK, Stakos DA, Thomaidi AK, Mitrousi K, Lantzouraki AE, Kotsiou S, Maltezos E, Boudoulas H. Resolution of symptoms and serum peptides of collagen type I turnover in acute heart failure patients. *Acta Cardiol* 2009;64:29-33.
63. Koukourakis GV, Baksevanis CN, Zambatis H, Gritzapis A, Maltezos E, Simopoulos C, Koukourakis MI. Amifostine enhances recovery and expansion of peripheral FAS/CD95+ T- and NK-cell subpopulations during radiotherapy of patients with head-neck cancer. *Int J Radiat Biol* 2009;85:96-104.
64. Maltezos HC, Papa A, Tsiodras S, Dalla V, Maltezos E, Antoniadis A. Crimean-Congo hemorrhagic fever in Greece: a public health perspective. *Int J Infect Dis* 2009;13:713-6.

Κλινικό Έργο

- Στη Β Πανεπιστημιακή Παθολογική Κλινική νοσηλεύονται ασθενείς με όλο το φάσμα των νοσημάτων της Παθολογίας. Οι ασθενείς προέρχονται από το Τμήμα Επειγόντων Περιστατικών, από τα Τακτικά Εξωτερικά Ιατρεία της Κλινικής και από διακομιδές από άλλα Νοσοκομεία της Ανατολικής Μακεδονίας και Θράκης.
- Στη Μονάδα Ειδικών Λοιμώξεων (μοναδική στην Ανατολική Μακεδονία και Θράκη) νοσηλεύονται ασθενείς με HIV λοίμωξη, μηνιγγίτιδα, μηνιγγοεγκεφαλίτιδα, φυματίωση, οξεία ιογενή ηπατίτιδα, γρίπη, άλλα ιογενή νοσήματα, ρικετσιώσεις, φυματίωση, λοιμώξεις από πολυανθεκτικά νοσοκομειακά παθογόνα, ελονοσία και άλλα λοιμώδη νοσήματα σε κατοίκους της Ανατολικής Μακεδονίας και Θράκης ή σε μετανάστες που εισέρχονται χωρίς άδεια στο Νομό Έβρου.
- Η Κλινική διενεργεί 10-11 γενικές εφημερίες μηνιαίως με εικοσιτετράωρη κάλυψη του Τ.Ε.Π. με ένα ειδικό και δύο ειδικευόμενους ιατρούς. Τις εφημερίες παρακολουθούν επίσης και οι εκτοετείς φοιτητές Ιατρικής του Δ.Π.Θ., οι οποίοι ασκούνται επί τρίμηνο περίπου στη Β΄ Πανεπιστημιακή Παθολογική Κλινική.
- Από τα μέλη της Κλινικής διενεργούνται στο Πανεπιστημιακό Γενικό Νοσοκομείο Αλεξανδρούπολης τα εξής Τακτικά Εξωτερικά Ιατρεία:.
 1. Τακτικό Παθολογικό Ιατρείο: τρεις φορές την εβδομάδα
 2. Ειδικό Ιατρείο Δυσλιπιδαιμιών: μία φορά την εβδομάδα
 3. Ειδικό Ηπατολογικό Ιατρείο: μία φορά την εβδομάδα
 4. Ειδικό Γαστρεντερολογικό Ιατρείο: μία φορά την εβδομάδα
 5. Ειδικό Ιατρείο Λοιμώξεων: μία φορά την εβδομάδα
 6. Ειδικό Ιατρείο Παχυσαρκίας, Διαβήτη και Μεταβολικού Συνδρόμου: δύο φορές την εβδομάδα
 7. Ειδικό Ιατρείο Διαβητικού Ποδιού: μία φορά την εβδομάδα
 8. Ειδικό Διαβητολογικό Ιατρείο: δύο φορές την εβδομάδα

Η Κλινική συμμετέχει επίσης στο Πρόγραμμα του Τμήματος Ενδοσκοπήσεων του ΠΓΝΑ με διενέργεια διαγνωστικών και επεμβατικών ενδοσκοπήσεων μια φορά την εβδομάδα.

Προγράμματα & Μελέτες

Συμμετοχή σε τρέχουσες πολυκεντρικές Κλινικές μελέτες

1. “A multicenter, randomized, double-blind study to determine the efficacy and safety of the addition of SYR-322 25 mg vs. dose titration from 30 mg to 45 mg of ACTOS® Pioglitazone HCl in subjects with Type 2 diabetes mellitus who have inadequate control on a combination of metformin and 30 mg of Pioglitazone HCl therapy” (Phase III).
2. “A randomized, double-blind, placebo-controlled parallel-group study to determine whether, in patients with type 2 diabetes at high risk for cardiovascular and renal events, aliskiren, on top of conventional treatment, reduces cardiovascular and renal morbidity and mortality. ALTITUDE: ALiskiren Trial in Type 2 diabetes Using cardiorenal Disease Endpoints” ((Phase III).
3. EUCORE: European Cubicin Outcomes Registry and Experience for the Treatment of Serious Gram-positive Infections (Phase IV).